



August 17, 2021

CITY OF BROOKINGS
LANDFILL DEPT
BROOKINGS, South Dakota 57006-0270

Sourcewell Member ID# 1562

Caterpillar Inc. Sourcewell Contract #032119-CAT

Dear Jacob Meshke,

We are pleased to quote the following for your consideration.

Caterpillar Model: 836K

STOCK NUMBER: TBD **SERIAL NUMBER:** Factory Order **YEAR:** 2022 **SMU:** New

Caterpillar Model: 836K

STANDARD EQUIPMENT

CONSIST NOTE -The standard equipment list includes all -no-charge (NC) items from the Mandatory -Attachment section.

POWERTRAIN -Advanced Productivity Electronic Control -Shifting (APECS) -Air to air aftercooler -Brakes, full hyd., enclosed, wet -multiple disc service brakes -Cat clean emission module (insulated) -Electro hydraulic parking brake -Engine, Cat C18 w/ACERT Technology -US EPA T4/EU Stage IV Technology, -Fuel priming pump (electric) -Fuel to air cooler -Ground level engine shutoff -Guard, (3 pc) transmission -Heat Shield, turbo and exhaust manifold -Hydraulically driven demand fan -Integrated braking -Radiator, Next Generation Modular (NGMR) -Separated cooling system -Starting aid (ether) automatic -Throttle lock -Torque converter with lock up clutch -(LUC) -Turbine precleaner, engine air intake -Transmission, planetary, with 2F/2R -speed range control -Underhood ventilation system

ELECTRICAL -Alarm, back-up -Alternator (150-amp) -Batteries, maintenance-free (4-1000CCA) -Converter, 10/15 amp, 24V to 12V -Lighting system, halogen (front & rear) -lighting, access stairway -Starter, electric (heavy duty) -Starter lockout (ground level) -Starting receptacle for emergency start -Transmission lockout (ground level)

OPERATOR ENVIRONMENT -Air conditioner -Cab, sound-suppressed pressurized, -Internal four-post rollover protective -structure (ROPS/FOPS). Radio ready for -(entertainment) includes antenna, -speakers, converter (12-volt 10-15 -amp) 12-volt power port for mobile -phone or laptop connection -Camera, rear vision -Coat and hard hat hooks -Flip-up armrest -Heater and defroster -Horn, electric -Hydraulic controls (floor mounted) -Implement hydraulic lockout -Laminated glass -Light, (dome) cab -Lunchbox and beverage holders -Instrumentation, Gauges: -DEF fluid level -Engine coolant temperature -Fuel level -Hydraulic oil temperature -Speedometer/Tachometer -Torque convertor temperature -Instrumentation, Warning Indicators: -Action alert system, three category -Axle/Brake oil temp. (front) -Brake oil pressure -Electrical system, low voltage -Engine failure malfunction alert and -action lamp -Mirrors, Rearview (externally mounted) -Parking brake status -Radio, CB (ready) -Seat, Cat Comfort (cloth) air suspension -Seat belt, retractable, 76mm (3") wide -STIC Control system with steering lock -Sun visor, front -Tinted glass -Transmission gear (indicator) -Vital Information Management System -(VIMS) with graphical information -display: external data port, -customizable operator profiles -Wet-Arm Wipers/Washers (front and rear) -Intermittent Wipers (front and rear)

TIRES, RIMS, AND WHEELS -Wheels, Paddle & Plus Tip

GUARDS -Guards, axle (front and rear) -Guard, cab window -Guards, crankcase and powertrain, -hydraulically powered -Guard, rear fan and grill

BLADES -Bulldozer arrangement is included in the -standard equipment. Bulldozer blades -are optional.

FLUIDS -Antifreeze, premixed 50% concentration -of extended life coolant with freeze -protection to -34C (-29F)

OTHER STANDARD EQUIPMENT -Auto Blade Positioner (ABP) -Counterweight -Demand fan/swing out (hyd. reversible) -Doors, service access (locking) -Ecology drains for engine, radiator, -hydraulic tank -Electronic clutch pressure control & -remote mounted pressure taps -Emergency platform egress -Engine, crankcase, 250 hour interval -with CJ-4 oil -Fuel tank, 793 L (210 gal) -Hitch, drawbar with pin -Hoses, Cat XT(TM) -Hydraulic oil cooler -Hydraulic, steering and brake -filtration/screening system -Oil sampling valves -Product Link -Stairways, fixed-L/R (rear access) -Steering, load sensing -Vandalism protection caplocks -Venturi stack

MACHINE SPECIFICATIONS

836K LANDFILL COMPACTOR HRC	GUARD ACTUATION, STANDARD (2V)
INCLUDES:	NO SOUND SUPPRESSION
Engine, Cat C18 w/ACERT technology	STAIRWAY, FIXED (LH & RH)
-US EPA T4F/EU Stage V Technology	STRIKER BARS
AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ, JAPAN, & SOUTH KOREA	FILMS, ANSI
AXLES, NO-SPIN FRONT & REAR	STARTING, COLD WEATHER
PRECLEANER, DUAL	HEATER, ENGINE COOLANT, 120V
HYDRAULICS, STANDARD	LIGHT, WARNING (LED STROBE)
LIGHTS, STANDARD	RADIO, AM/FM/AUX/USB/BT
CAB, DELUXE	MAPPING, GNSS SBAS
PRODUCT LINK, CELLULAR PLE641	OIL CHANGE SYSTEM, HIGH SPEED
FUEL LINES, HEATED	BLADE, STRAIGHT
FUEL TANK, NON-FAST FILL	COOLANT, -50C (-58F)
WHEELS, DIAMOND TIPS	FILM, AM-NORTH

TOTAL LIST PRICE	\$1,417,807.65
SOURCEWELL DISCOUNT (12% of Caterpillar List)	(\$170,136.92)
BUTLER MACHINERY CONQUEST DISCOUNT	(\$326,603.87)

SELL PRICE	\$921,066.86
BALANCE DUE	\$921,066.86

ADDITIONAL CONSIDERATIONS – Fire Suppression System Installed

WARRANTY

Standard Warranty: 12 Months Standard Warranty Including 12 Months Mileage.

F.O.B/TERMS: Brookings Landfill

Accepted by _____ on _____

Signature

We believe the equipment as quoted will exceed your expectations. Thank you for the opportunity to quote this equipment.

Sincerely,

Jarod Heinz
Machine Sales Representative
JarodHeinz@buttermachinery.com
605-251-3080